



AL-R0
AB-R0

ALU ROUND Ø24mm



ALU ROUND; Ø 24

FUTURES:

- High quality round shape polycarbonate diffuser
- Diffuser is placed/removed from the top on click
- High quality anodized aluminum base
- Heavy duty "heat sink" for high power LEDs
- Compatible with up to 12mm wide high power LED bars
- Available finish end cups and mounting system with angle regulation
- Two different installation options (wall or suspended)
- Available in length of 2m/1m with clear or frosted diffuser

APPLICATIONS:


- Hotels headboard bed reading lamp with angle regulation
- Show rooms track LED lighting
- Reception desk main LED lighting
- Restaurants above table main LED lighting
- Shopping boutiques exposition LED lighting



DESCRIPTION

This is small round shape LED profile with round diffuser. It has been designed for high power led lighting. Massive aluminum weight provides excellent mechanical and thermal protection to the LEDs. The profile is made from anodized aluminum and it comes with round UV resistant polycarbonate clear or frosted diffuser. The installation of the diffuser is from the front on click. Installation and removing is easy and simple. It comes in 1m or 2m sections and is suitable for high power led lighting. The ALU-ROUND can be installed in the wardrobe or closet as the clothes rod led lighting, in the jewelry cases, refrigerated cabinets at the grocery store and other places.





The main purpose for this arm is lighting from down or from above the objects such as art work, gallery, jewelry etc.

The light emitted by leds is directed in 45 degree angle.


The arm is matching perfectly with the Alu-Round led profile.

The feeding cable is hidden in the arm and can be covered by the sticky aluminum imitating tape.

EC-RO-AA



ALU-ROUND ACCESSORIES Art Lighting Arm




LED profiles for LED lighting

ALU-ROUND ACCESSORIES



ALU-ROUND ACCESSORIES

Closet bracket for Alu-Round led profile




Wall to wall closet led rod (Alu-Round) installation

Closet brackets are made from special material which do not brake during the screwing or heavy load





MC-R2 Closet Bracket




AL-RO



MC-R2




scale 1:1



scale 1:1

ALU-ROUND ACCESSORIES


Intermediate support arm for Alu-Round led profile for closet mount



End mount type 1m of led profile (Alu-Round) at the closet with closet brackets and intermediate support arm



Stem mount of 1m led profile (Alu-Round) at the closet




Stem mount type of led profile (Alu-Round) at the closet with intermediate support arm



End mount type - 2m of led profile Alu-Round at the closet with closet brackets and intermediate support arm


Maximum capability of weight handling per one arm is 25kg



scale 1:1


Alu-Round intermediate support arm MC-R3

STEM MOUNT




Maximum capability of weight handling per one arm is 25kg


STEM MOUNT



Intermediate supports
 Length : 100cm/39,4" - 3pcs
 200cm/78,8" - 5pcs



END MOUNT




MC-R2 End mount closet bracket



Maximum capability of weight handling per one arm is 25kg

END MOUNT



- Intermediate supports
- Length : 100cm/39,4" - 1pc
- 200cm/78,8" - 2pc

